Missouri Botanical Garden
Peter H. Raven Library

George Engelmann Botanical Notebooks



Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Xyris

Kunth vol IV 1843

pag 10 No. 15. X. brevifolia Mx Penns. — Georgia
" 11 16 X. bulbosa Kth Massach — Georgia
" 17 X. Carolinianum Walt = flexuosa Mehl?
= X. Jupicai Mx = anceps Mehl? = fimbriata Beyrich von Ell
New York — Florida
12 21. X. ambigua Beyr Georgia
14 22 X. fimbriata Ell New Jersey Georgia
" 23 X. torta Smith. = X. indica Pursh?
Georgia
24 27 X. Baldwiniana Rosem & Schult.
X. juncea Baldw apud Elliott
Georgia

1-3

Gray Man 1856

p. 487 X. bulbosa Kth = indica Pursh, flexuosa Mehl.
Jupicai Mx in part. brevifolia auct.
non Mx. Newham pshire & Michigan southward
X. Carolniana Walt. (Jupicai Mx in part
anceps Mehl. Rhode Island, southward
X. fimbriata Ell New Jersey southward

131
Xyridaceae

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
Missouri Botanical Garden

MISSOURI BOTANICAL GARDEN
copyright reserved
cm 0 1 2 3 4 5 6 7 8 9 10

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

7657

Xyris

April 1844.

Stem compressed, only 2 prominent angles
edges ~~angles~~ smooth
two lateral sepals obtusish
irregularly fringed & notched
~~bracts~~ obovate, slightly crenulate
leaves linear setaceous short
1. X. ~~brevifolia~~ "Hale, Louisiana
" torta Smith. Texas

two lateral sepals acute
deeply & irregularly fringed & notched incised
bracts obovate, very entire, caps. emarginate
leaves broad, long, the largest species
2. X. Texas & Alabama
comata

very finely ciliate, cuspidate
bracts orbicular, slightly crenulate
leaves broad, long, nearly as long as the foregoing
3. X. ~~fimbriata~~ " Hale, Louisiana
" ambigua Beyrich

edges angles scabrous
slightly so, two lateral sepals finely ciliate acute,
capsule slightly emarginate (?) bract obovate
slightly crenulate, leaves short, grasslike
plant small
4. X. brevifolia "Curtis N. Carol.

very scabrous; two lateral sepals acutish, fimbriate
& irregularly notched; capsule obovate obtuse
with a large plant leaves grass like, long.
bract obovate slightly crenulate
5. X. scabra Brazos
(var of carolinian A Gray)

Stem more or less compressed, many angled.
Stem more compressed, two ~~angles~~ edges very prominent smooth
two lateral sepals acute, very slightly ciliate, capsule
emarginate; bract orbicular nearly entire, leaves linear grasslike
long!
6. X. carolniana Browne New York

two lateral sepals subacute, fringed & notched incised, capsule
obtuse, bracts obovate, slightly crenulate, leaves
setaceous, short, plant small
7. X. minor Brazos.

Stem nearly roundish, many angled, smooth
two lateral sepals accuminate, subacutate, very slightly ciliate
bract, obovate, irregularly ciliate, capsule obcordate
leaves linear setaceous, shorter the stem.
8. X. bulbosa Kunth Brazos

over

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Stem compressed, only 2 prominent angles

addition. Octob 1846

edges scabrous

slightly so, on one side of the compressed stem some lines, so that the stem has sometimes the appearance of being many angled. two lateral sepals acutish, fimbriate and incised, capsule linear-obovate obtuse; bract obovate nearly entire.

smaller plant, very narrow leaves elliptical, somewhat acutish heads

4. b. X carolniana

Westchester New York

slightly so etc same as above, long ciliate fimbriate, and incised — two lateral sepals obtusish — bract obovate nearly entire. — A larger plant, broader leaves, elliptical acutish heads

4. c. X carolniana

Florida

Stem more or less compressed many angled

Stem more compressed two edges very prominent and as well as the other angles scabrous. lateral sepals acuminate with long fringes — which are exserted above the scale; bract obovate slightly crenulate; capsule oblong linear emarginate. — large plant with broad but rather short leaves. —

7. b. X brevifolia (Chapm)

Florida

Stem nearly roundish, many angled smooth

lateral sepals acutish, fringed and incised. bracts obovate crenulate, dorsal area much below the apex oblong, capsule oblong linear obtuse; plant middle size, head oval leaves linear narrow short. —

9. X. juncea Baldw.

Chapm

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Mr. M. Gheyn of the Jr. Lyceum
Mem. & Cl. Tunnels Mexico 1814.
Mem. & Cl. Mexico & Cl.
Missouri & Ill. Jr. Lyceum

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN



0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

7659

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN



0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

7660

Want

Selections
on Pinus &c

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN



0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

Mi Hal

er	180
	100
	192
	400
	144.75
	1016.75
Zinsen	27.46

123.20
10.00
12.75
30.00
79.50
349.45
280.00
1673.66

Am Angelwerk für Anleihe
Interest. 17.20
Gehalt 414.30

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

1997

X30. Tritelia laxifolia n. sp June 14 1865





groove in connection with Canal = Yucca

seat of stipe.



seat of ovary

canal in the septum = Yucca



0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

7662

ALEX. LEITCH,

APOTHECARY & PHARMACEUTIST,

Marble Building Cor. Fourth & Olive Sts. St. Louis, Mo.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

Anthericum Baker 1876

Nelgen Schomolision

A. Chlorocum Schult

Milkegel Texas Schede

Hesperanthes

A. Leptopetalum Torr. & Gr. Eschscholtz p. 26, Mex

A. Schomburgkianum Baker Sp. Nov

Gregg 393!

A. Torreyi Baker Eschscholtz Texas

Torr. Bot. Bound. Zuckerr. 851

Nicht 1912

Northern California Baker

Bolander 6543

American Gawl

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

7663

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

7664

Centrolepis

said to come from India

but most probably

Australia

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Centrolepis tenuior R.S. ?

Spreng. Syst. 1. p. 23

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN